

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTANSC1625

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * *

NEWS 1 Web Page for STN Seminar Schedule - N. America
NEWS 2 JAN 08 CHEMLIST enhanced with New Zealand Inventory of Chemicals
NEWS 3 JAN 16 CA/CAplus Company Name Thesaurus enhanced and reloaded
NEWS 4 JAN 16 IPC version 2007.01 thesaurus available on STN
NEWS 5 JAN 16 WPIDS/WPINDEX/WPIX enhanced with IPC 8 reclassification data
NEWS 6 JAN 22 CA/CAplus updated with revised CAS roles
NEWS 7 JAN 22 CA/CAplus enhanced with patent applications from India
NEWS 8 JAN 29 PHAR reloaded with new search and display fields
NEWS 9 JAN 29 CAS Registry Number crossover limit increased to 300,000 in multiple databases
NEWS 10 FEB 15 PATDPASPC enhanced with Drug Approval numbers
NEWS 11 FEB 15 RUSSIAPAT enhanced with pre-1994 records
NEWS 12 FEB 23 KOREAPAT enhanced with IPC 8 features and functionality
NEWS 13 FEB 26 MEDLINE reloaded with enhancements
NEWS 14 FEB 26 EMBASE enhanced with Clinical Trial Number field
NEWS 15 FEB 26 TOXCENTER enhanced with reloaded MEDLINE
NEWS 16 FEB 26 IFICDB/IFIPAT/IFIUDB reloaded with enhancements
NEWS 17 FEB 26 CAS Registry Number crossover limit increased from 10,000 to 300,000 in multiple databases
NEWS 18 MAR 15 WPIDS/WPIX enhanced with new FRAGHITSTR display format
NEWS 19 MAR 16 CASREACT coverage extended
NEWS 20 MAR 20 MARPAT now updated daily
NEWS 21 MAR 22 LWPI reloaded
NEWS 22 MAR 30 RDISCLOSURE reloaded with enhancements
NEWS 23 APR 02 JICST-EPLUS removed from database clusters and STN
NEWS 24 APR 30 GENBANK reloaded and enhanced with Genome Project ID field
NEWS 25 APR 30 CHEMCATS enhanced with 1.2 million new records
NEWS 26 APR 30 CA/CAplus enhanced with 1870-1889 U.S. patent records
NEWS 27 APR 30 INPADOC replaced by INPADOCDB on STN
NEWS 28 MAY 01 New CAS web site launched
NEWS 29 MAY 08 CA/CAplus Indian patent publication number format defined
NEWS 30 MAY 14 RDISCLOSURE on STN Easy enhanced with new search and display fields
NEWS 31 MAY 21 BIOSIS reloaded and enhanced with archival data
NEWS 32 MAY 21 TOXCENTER enhanced with BIOSIS reload
NEWS 33 MAY 21 CA/CAplus enhanced with additional kind codes for German patents
NEWS 34 MAY 22 CA/CAplus enhanced with IPC reclassification in Japanese patents

NEWS EXPRESS NOVEMBER 10 CURRENT WINDOWS VERSION IS V8.01c, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 25 SEPTEMBER 2006.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* *

FILE 'HOME' ENTERED AT 16:48:13 ON 14 JUN 2007

=> fil reg
COST IN U.S. DOLLARS SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST 0.21 0.21

FILE 'REGISTRY' ENTERED AT 16:48:24 ON 14 JUN 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 13 JUN 2007 HIGHEST RN 937234-16-7
DICTIONARY FILE UPDATES: 13 JUN 2007 HIGHEST RN 937234-16-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.


REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>
Uploading C:\Program Files\Stnexp\Queries\10581045.str

L1 STRUCTURE uploaded

=> d l1
L1 HAS NO ANSWERS
L1 STR



G1 O, N

Structure attributes must be viewed using STN Express query preparation.

=> s 11 sss sam
SAMPLE SEARCH INITIATED 16:49:03 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 206 TO ITERATE

100.0% PROCESSED 206 ITERATIONS 2 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**

PROJECTED ITERATIONS: 3259 TO 4981


PROJECTED ANSWERS: 2 TO 124

L2 2 SEA SSS SAM L1

=> d scan 1-2
'1-2' IS NOT A VALID FORMAT FOR FILE 'REGISTRY'

L2 2 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN 1-Piperidinecarboxamide, N-[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]-2-(4-fluoro-2-methylphenyl)-4-[(2-hydroxy-2-methylpropyl)sulfonyl]-N-methyl-, (2R,4S)- (9CI)
MF C29 H35 F7 N2 O4 S

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

The following are valid formats:

Substance information can be displayed by requesting individual fields or predefined formats. The predefined substance formats are: (RN = CAS Registry Number)

REG - RN
SAM - Index Name, MF, and structure - no RN
FIDE - All substance data, except sequence data
IDE - FIDE, but only 50 names
SQIDE - IDE, plus sequence data
SQIDE3 - Same as SQIDE, but 3-letter amino acid codes are used
SQD - Protein sequence data, includes RN
SQD3 - Same as SQD, but 3-letter amino acid codes are used
SQN - Protein sequence name information, includes RN

CALC - Table of calculated properties
EPROP - Table of experimental properties
PROP - EPROP and CALC

Any CA File format may be combined with any substance format to obtain CA references citing the substance. The substance formats must be cited first. The CA File predefined formats are:

ABS -- Abstract
APPS -- Application and Priority Information
BIB -- CA Accession Number, plus Bibliographic Data
CAN -- CA Accession Number
CBIB -- CA Accession Number, plus Bibliographic Data (compressed)
IND -- Index Data
IPC -- International Patent Classification
PATS -- PI, SO
STD -- BIB, IPC, and NCL

IABS -- ABS, indented, with text labels
IBIB -- BIB, indented, with text labels
ISTD -- STD format, indented

OBIB ----- AN, plus Bibliographic Data (original)
OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations
SIBIB ----- IBIB, no citations

The ALL format gives FIDE BIB ABS IND RE, plus sequence data when it is available.

The MAX format is the same as ALL.

The IALL format is the same as ALL with BIB ABS and IND indented, with text labels.

For additional information, please consult the following help messages:

HELP DFIELDS -- To see a complete list of individual display fields.


HELP FORMATS -- To see detailed descriptions of the predefined formats.

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):end

=> d scan

L2 2 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN 1-Piperidinecarboxamide, N-[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]-4-bromo-2-(4-fluoro-2-methylphenyl)-N-methyl-, (2R,4R)- (9CI)
MF C25 H26 Br F7 N2 O

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L2 2 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN 1-Piperidinecarboxamide, N-[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]-2-(4-fluoro-2-methylphenyl)-4-[(2-hydroxy-2-methylpropyl)sulfonyl]-N-methyl-, (2R,4S)- (9CI)
MF C29 H35 F7 N2 O4 S

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=> s 11 sss full
FULL SEARCH INITIATED 16:49:58 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 3746 TO ITERATE

100.0% PROCESSED 3746 ITERATIONS 23 ANSWERS
SEARCH TIME: 00.00.01

L3 23 SEA SSS FUL L1

=> save l3 taka10581045/A temp
ANSWER SET L3 HAS BEEN SAVED AS 'TAKA10581045/A'

| | SINCE FILE ENTRY | TOTAL SESSION |
|----------------------|------------------|---------------|
| COST IN U.S. DOLLARS | | |
| FULL ESTIMATED COST | 173.90 | 174.11 |

FILE 'CAPLUS' ENTERED AT 16:51:09 ON 14 JUN 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing

of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 14 Jun 2007 VOL 146 ISS 25
FILE LAST UPDATED: 13 Jun 2007 (20070613/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:



<http://www.cas.org/infopolicy.html>

=> s 13
L4 1 L3

=> d ibib abs hitstr

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2005:490354 CAPLUS
DOCUMENT NUMBER: 143:43775
TITLE: Process for preparation of piperidine derivatives
INVENTOR(S): Takahashi, Masami; Miyake, Tsutomu; Yamanaka, Takeshi;
Asai, Hidetoshi; Kono, Rikako
PATENT ASSIGNEE(S): Tanabe Seiyaku Co., Ltd., Japan
SOURCE: PCT Int. Appl., 64 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|------------------|----------|-----------------------------------|--------------------------|
| WO 2005051912 | A1 | 20050609 | WO 2004-JP17543 | 20041126 |
| W: AE, AG, AL, AM, AT, AU, AZ, CN, CO, CR, CU, CZ, DE, DK, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, NE, SN, TD, TG | | | | |
| AU 2004293306 | A1 | 20050609 | AU 2004-293306 | 20041126 |
| CA 2547467 | A1 | 20050609 | CA 2004-2547467 | 20041126 |
| EP 1693367 | A1 | 20060823 | EP 2004-819423 | 20041126 |
| R: AT, BE, CH, DE, DK, ES, FR, IE, SI, FI, RO, CY, TR, BG, CN 1886375 | A | 20061227 | CN 2004-80034978 | 20041126 |
| US 2007112029 | A1 | 20070517 | US 2006-581045 | 20060530 |
| PRIORITY APPLN. INFO.: | | | JP 2003-398368
WO 2004-JP17543 | A 20031128
W 20041126 |
| OTHER SOURCE(S): GI | MARPAT 143:43775 | | | |



AB This invention pertains to a method for producing piperidine derivs. I [wherein rings A and B = independently (un)substituted benzene ring; R1 = (un)substituted alkyl, OH, SH, etc.; R2 = H, (un)substituted OH, NH₂, etc.; R4a and R4b = independently (un)substituted alkyl; Z = O or (un)substituted NH] or pharmaceutically acceptable salts. For example, the compound II was prepared in a multi-step synthesis. I are useful as tachykinin receptor antagonists (no data).


IT 853305-86-9P 853306-03-3P 853306-04-4P
853306-05-5P 853306-13-5P 853306-14-6P
853306-15-7P

RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(intermediate; preparation of piperidine derivs.)

RN 853305-86-9 CAPLUS

CN 1-Piperidinecarboxamide, N-[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]-2-(4-fluoro-2-methylphenyl)-4-hydroxy-N-methyl-, (2R,4S)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853306-03-3 CAPLUS

CN 1-Piperidinecarboxamide, N-[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]-4-bromo-2-(4-fluoro-2-methylphenyl)-N-methyl-, (2R,4R)- (9CI)
(CA INDEX NAME)


Absolute stereochemistry.



RN 853306-04-4 CAPLUS

CN Ethanethioic acid, S-[(2R,4S)-1-[[[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]methylamino]carbonyl]-2-(4-fluoro-2-methylphenyl)-4-piperidinyl] ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853306-05-5 CAPLUS

CN 1-Piperidinecarboxamide, N-[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]-2-(4-fluoro-2-methylphenyl)-N-methyl-4-(methylthio)-, (2R,4S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853306-13-5 CAPLUS

CN Carbamic acid, [(2R,4S)-1-[[[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]methylamino]carbonyl]-2-(4-fluoro-2-methylphenyl)-4-piperidinyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853306-14-6 CAPLUS

CN 1-Piperidinecarboxamide, 4-amino-N-[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]-2-(4-fluoro-2-methylphenyl)-N-methyl-, (2R,4S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853306-15-7 CAPLUS

CN 1-Piperidinecarboxamide, N-[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]-2-(4-fluoro-2-methylphenyl)-N-methyl-4-(methylamino)-, (2R,4S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




| | | | |
|----|--------------|--------------|--------------|
| IT | 853305-87-0P | 853305-88-1P | 853305-89-2P |
| | 853305-90-5P | 853305-91-6P | 853305-92-7P |
| | 853305-93-8P | 853305-94-9P | 853305-95-0P |
| | 853305-96-1P | 853305-97-2P | 853305-98-3P |
| | 853305-99-4P | 853306-00-0P | 853306-01-1P |
| | 853306-02-2P | | |

RL: IMF (Industrial manufacture); SPN (Synthetic preparation); PREP (Preparation)
(preparation of piperidine derivs.)

RN 853305-87-0 CAPLUS

CN Carbamic acid, (2-hydroxyethyl)-, (2R,4S)-1-[[[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]methylamino]carbonyl]-2-(4-fluoro-2-methylphenyl)-4-piperidinyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853305-88-1 CAPLUS

CN Carbamic acid, [(2R)-2-hydroxypropyl]-, (2R,4S)-1-[[[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]methylamino]carbonyl]-2-(4-fluoro-2-methylphenyl)-4-piperidinyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853305-89-2 CAPLUS

CN Carbamic acid, [(2S)-2-hydroxypropyl]-, (2R,4S)-1-[[[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]methylamino]carbonyl]-2-(4-fluoro-2-methylphenyl)-4-piperidinyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853305-90-5 CAPLUS

CN 1-Piperidinecarboxamide, N-[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]-2-(4-fluoro-2-methylphenyl)-N-methyl-4-(methylsulfonyl)-, (2R,4S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853305-91-6 CAPLUS

CN 1-Piperidinecarboxamide, N-[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]-2-(4-fluoro-2-methylphenyl)-4-[(2-hydroxyethyl)thio]-N-methyl-, (2R,4S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853305-92-7 CAPLUS

CN 1-Piperidinecarboxamide, N-[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]-2-(4-fluoro-2-methylphenyl)-N-methyl-4-[(1-methylethyl)sulfonyl]-, (2R,4S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853305-93-8 CAPLUS

CN 1-Piperidinecarboxamide, N-[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]-2-(4-fluoro-2-methylphenyl)-4-[(2-hydroxyethyl)sulfonyl]-N-methyl-, (2R,4S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853305-94-9 CAPLUS

CN 1-Piperidinecarboxamide, N-[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]-2-(4-fluoro-2-methylphenyl)-4-[(2-hydroxy-2-methylpropyl)sulfonyl]-N-methyl-, (2R,4S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853305-95-0 CAPLUS

CN 1-Piperidinecarboxamide, N-[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]-2-(4-fluoro-2-methylphenyl)-4-[(2R)-2-hydroxypropyl]sulfonyl]-N-methyl-, (2R,4S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853305-96-1 CAPLUS

CN 1-Piperidinecarboxamide, N-[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]-2-(4-fluoro-2-methylphenyl)-4-[(3-hydroxy-3-methyl-1-oxobutyl)amino]-N-methyl-, (2R,4S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853305-97-2 CAPLUS

CN 1-Piperidinecarboxamide, N-[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]-2-(4-fluoro-2-methylphenyl)-4-[(3-hydroxy-3-methyl-1-oxobutyl)methylamino]-N-methyl-, (2R,4S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853305-98-3 CAPLUS

CN 1-Piperidinecarboxamide, N-[1-(3,5-difluorophenyl)-1-methylethyl]-2-(4-fluoro-2-methylphenyl)-4-hydroxy-N-methyl-, (2R,4S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853305-99-4 CAPLUS

CN Carbamic acid, (2-hydroxyethyl)-, (2R,4S)-1-[[[1-(3,5-difluorophenyl)-1-methylethyl]methylamino]carbonyl]-2-(4-fluoro-2-methylphenyl)-4-piperidinyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853306-00-0 CAPLUS

CN 1-Piperidinecarboxamide, N-[1-(3,5-difluorophenyl)-1-methylethyl]-2-(4-fluoro-2-methylphenyl)-N-methyl-4-(methylsulfonyl)-, (2R,4S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853306-01-1 CAPLUS

CN 1-Piperidinecarboxamide, N-[1-(3,5-difluorophenyl)-1-methylethyl]-2-(4-fluoro-2-methylphenyl)-4-[(2-hydroxyethyl)sulfonyl]-N-methyl-, (2R,4S)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 853306-02-2 CAPLUS

CN 1-Piperidinecarboxamide, N-[1-(3,5-difluorophenyl)-1-methylethyl]-2-(4-fluoro-2-methylphenyl)-4-[(2-hydroxy-2-methylpropyl)sulfonyl]-N-methyl-, (2R,4S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.



REFERENCE COUNT:

29

THERE ARE 29 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE R